

DECLARATION OF PERFORMANCE NO. 101

SYSTEXX Active, SYSTEXX Phantasy, SYSTEXX Pure

12

1. Unique identification code of the product-type

Active	Absorb 133 PG AQ, Absorb 139 PG AQ, Absorb 165 PG AQ, Absorb Glassfleece PG, Logo 905 RW, Logo 960 RW, Magnetic Glassfleece PG, Magnetic 139 PG, Print 188 PG, Print 188 Co PG, Print 960 RW, Print Glassfleece PG, Reno 938 PG AQ, Reno 938 RW, Reno 938 RW AQ, Xtreme 960 RW AQ
Fleece	Cellulose 130 PG, Cellulose 150 PG, Glass 35 RW, Glass 80 PG, Glass 100 PG, Glass 100 PG AQ, Glass 130 PG, Glass 130 PG+, Glass 130 PG AQ, Glass 130 PG AQ+, Glass 200 PG, Glass 200 PG AQ, Glass 225 Si
Phantasy	Bamboo 950 RW, Bamboo 950 RW AQ, Bubbles 953 RW, Desert 983 RW AQ, Diamond Dust 972 RW, Diamond Dust 972 RW AQ, Ice Cubes 977 RW, Icecubes 977 RW AQ, Jungle 987 RW AQ, Labyrinth 902 RW, Metal Plate 913 RW, Orient 982 RW AQ, Snowflakes 911 RW, Stardust 973 RW, Stardust 973 RW AQ, Stars 984 RW AQ, Sticks 942 RW, Stones 951 RW, Teatime 981 RW, Trail 952 RW, Versailles 980 RW AQ, Waterfall 908 RW
Pure	Big Stripes 906 RW, Big Stripes 906 RW AQ, Dots 975 RW AQ, Jute 904 RW, Jute 904 RW AQ, Lines 901 RW, Rain 905 RW, Silk 960 RW, Silk 960 RW AQ, Small Stripes 925 RW, Small Stripes 925 RW AQ, Structure 103 PG AQ, Structure 103 RW, Structure 108 PG, Structure 108 RW, Structure 109 PG, Structure 109 PG AQ, Structure 109 RW, Structure 111 PG, Structure 114 RW, Structure 116 PG, Structure 116 RW, Structure 117 RW, Structure 126 RW, Structure 129 PG, Structure 129 PG AQ, Structure 129 RW, Structure 131 PG, Structure 131 RW, Structure 132 RW, Structure 133 PG, Structure 133 PG AQ, Structure 133 RW AQ, Structure 135 PG, Structure 135 PG AQ, Structure 135 RW, Structure 138 PG, Structure 138 RW, Structure 139 PG, Structure 139 PG AQ, Structure 139 RW, Structure 145 RW, Structure 146 RW, Structure 150 PG, Structure 150 PG AQ, Structure 150 RW, Structure 152 PG, Structure 152 RW, Structure 154 RW, Structure 157 RW, Structure 158 RW, Structure 162 RW, Structure 164 RW, Structure 165 PG, Structure 165 PG AQ, Structure 165 RW, Structure 182 PG AQ, Structure 192 RW

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

Decorative and functional wall and ceiling coverings made of glass yarns or glass fleece in roll form for indoor use.

4. Brand and Manufacturer

Brand: SYSTEXX Active, SYSTEXX Phantasy, SYSTEXX Pure
Manufactured by: Vitrulan Textile Glass GmbH
 Bernecker Str. 8
 D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance

System 3

6. Harmonized standard

DIN EN 15102:2007 + A1:2011

7. Notified body

The notified testing center MFPA Leipzig GmbH – NB 0800 – tested and rated fire performance by means of type testing and issued reports.

8. Declared performance

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	B-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
 Managing director



Marktschorgast, 1 August 2025

DECLARATION OF PERFORMANCE NO. 102

SYSTEXX Active AcousTherm 14

1. Unique identification code of the product-type

Active	AcousTherm 133 PG AcousTherm 904 RW AcousTherm Glassfleece
--------	--

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use

Decorative and functional wall and ceiling coverings made of glass yarns, with a sound-absorbing and heat attenuating backside laminating made of polyester, undyed, in roll form for indoor use.

4. Brand and Manufacturer

Brand: SYSTEXX Active AcousTherm
Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance

System 1

6. Harmonized standard

DIN EN 15102:2007 + A1:2011

7. Notified body

The notified testing center MFPA Leipzig GmbH – NB 0800 – tested and rated fire performance by means of type testing and issued reports.

The notified body MFPA Leipzig GmbH – NB 0800 – has issued the certificate of constancy of performance based on ongoing monitoring, assessment and recognition of the WPK: 0800-CPR-III-1270-2

8. Declared performance

For the articles AcousTherm 133 PG and AcousTherm 904 RW:

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	B-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	0,25 (H)	EN 15102:2007+A1:2011
Thermal resistance	0,06 [m ² *K/W]	EN 15102:2007+A1:2011

NPD, no performance determined

For the article AcousTherm Glsssfleece:

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	B-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	0,20 (H)	EN 15102:2007+A1:2011
Thermal resistance	0,06 [m ² *K/W]	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 1 August 2025

DECLARATION OF PERFORMANCE NO. 113

SYSTEXX FireProtect FP 17

1. Unique identification code of the product-type

Active	Fireprotect FP04 Fireprotect FP78 Fireprotect FP79
--------	--

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame-retardant products accepted by OEKO-TEX.

4. Brand and Manufacturer

Brand: SYSTEXX Active Fireprotect FP
Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance

System 1

6. Harmonized standard

DIN EN 15102:2007 + A1:2011

7. Notified body

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

The notified body MFPA Leipzig GmbH – NB 0800 – has issued the certificate of constancy of performance based on ongoing monitoring, assessment and recognition of the WPK: 0800-CPR-18-1270-6

8. Declared performance

1. Essential characteristics	2. Attainment	3. Harmonized technical specifications
Fire behavior	A2-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 1 July 2024

DECLARATION OF PERFORMANCE NO. 114

SYSTEXX FireProtect FP Glassfleece 17

1. Unique identification code of the product-type

Active	Fireprotect FP Glassfleece
--------	----------------------------

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use

Glassfibre wall covering with flame-retardant and non-slipping finish for decorative and functional wall design, white; finished with flame-retardant products accepted by OEKO-TEX.

4. Brand and Manufacturer

Brand: SYSTEXX Active Fireprotect FP Glassfleece
Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance

System 1

6. Harmonized standard

DIN EN 15102:2007 + A1:2011

7. Notified body

The notified body Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

The notified body MFPA Leipzig GmbH – NB 0800 – has issued the certificate of constancy of performance based on ongoing monitoring, assessment and recognition of the WPK: 0800-CPR-18-1270-6

8. Declared Performance

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	A2-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 1 July 2024

DECLARATION OF PERFORMANCE NO. 115

SYSTEXX Active Whiteboard 18

1. Unique identification code of the product-type:

Active	Magnetic Whiteboard shiny Magnetic Whiteboard matt
--------	---

2. Unique identification of the product

Each product is identified by a unique type designation.

3. Intended use:

White magnetic glass fleece as decorative and functional wall covering with patented magnetically backing and whiteboard capable surface coating.

4. Brand and Manufacturer:

Brand: SYSTEXX Active Whiteboard
Manufactured by: Vitrulan Textile Glass GmbH
Bernecker Str. 8
D-95509 Marktschorgast

5. Systems of assessment and verification of constancy of performance:

System 3

6. Harmonized standard

DIN EN 15102:2007 + A1:2011

7. Notified body

The notified testing center Prüfinstitut Hoch – NB 1508 – tested and rated fire performance by means of type testing and issued reports.

8. Declared performance:

Essential characteristics	Attainment	Harmonized technical specifications
Fire behavior	C-s1, d0	EN 15102:2007+A1:2011
Formaldehyde emission	passed	EN 15102:2007+A1:2011
Heavy metals + other elements	passed	EN 15102:2007+A1:2011
Vinyl chloride monomer	passed	EN 15102:2007+A1:2011
Sound absorption	NPD	EN 15102:2007+A1:2011
Thermal resistance	NPD	EN 15102:2007+A1:2011

NPD, no performance determined

9. Declaration of performance by the manufacturer

The performance of the products identified above is in conformity with the set of declared performances. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Ralf Barthmann
Managing director



Marktschorgast, 1 July 2024